

Docket No.: PC-0049 CIP

SPECIFICATION AMENDMENTS

Please amend the paragraph beginning at page 30, line 10 as follows:

B₁
The BLAST software suite (NCBI, Bethesda MD;
<http://www.ncbi.nlm.nih.gov/gorf/bl2.html>), includes various sequence analysis programs
including "blastn" that is used to align nucleotide sequences and BLAST2 that is used for direct
pairwise comparison of either nucleotide or amino acid sequences. BLAST programs are
commonly used with gap and other parameters set to default settings, e.g.: Matrix: BLOSUM62;
Reward for match: 1; Penalty for mismatch: -2; Open Gap: 5 and Extension Gap: 2 penalties;
Gap x drop-off: 50; Expect: 10; Word Size: 11; and Filter: on. Identity is measured over the
entire length of a sequence. Brenner et al. (1998; Proc Natl Acad Sci 95:6073-6078,
incorporated herein by reference) analyzed BLAST for its ability to identify structural homologs
by sequence identity and found 30% identity is a reliable threshold for sequence alignments of at
least 150 residues and 40%, for alignments of at least 70 residues.

Please amend the paragraph beginning at page 31, line 15 as follows:

B₂
Following assembly, templates were subjected to BLAST, motif, and other functional
analyses and categorized in protein hierarchies using methods described in USSN 08/812,290
and USSN 08/811,758, both filed March 6, 1997; in USSN 08/947,845, filed October 9, 1997;
and in USSN 09/034,807, filed March 4, 1998. Then templates were analyzed by translating
each template in all three forward reading frames and searching each translation against the
PFAM database of hidden Markov model-based protein families and domains using the HMMER
software package (Washington University School of Medicine, St. Louis MO;
<http://pfam.wustl.edu/>). The cDNA was further analyzed using MACDNASIS PRO software
(Hitachi Software Engineering), and LASERGENE software (DNASTAR) and queried against
public databases such as the GenBank rodent, mammalian, vertebrate, prokaryote, and eukaryote
databases, SwissProt, BLOCKS, PRINTS, PFAM, and Prosite.